PCT/ SE 00 / 0 1 2 6 7

PATENT- OCH REGISTRERINGSVERKET
Patentavdelningen

SE 00/0/2

REC'D 23 AUG 2000
WIPO PCT



### Intyg Certificate

Härmed intygas att bifogade kopior överensstämmer med de handlingar som ursprungligen ingivits till Patent- och registreringsverket i nedannämnda ansökan.

This is to certify that the annexed is a true copy of the documents as originally filed with the Patent- and Registration Office in connection with the following patent application.

(71) Sökande Respiratorius AB, Lund SE Applicant Skogvall, Staffan, Lund SE

(81) Designerade stater

Designated states

AP: all, EP: all, OA: all, AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN,

CR, CU, CZ, DE, DK, DM, DZ, EA, EE, ES, FI,

GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,

JP, KE, KG, KP, KR, KZ, LC, LI, LK, LR, LS,

LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO,

NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,

TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW

(21) Patentansökningsnummer PCT SE00/00819 Patent application number

(86) Ingivningsdatum
Date of filing

2000-04-28

(30) Prioritet begärd från Priority claimed from

1999-04-28 SE 9901531-5 1999-05-26 SE 9901906-9 1999-06-15 SE 9902251-9 1999-06-15 SE 9902252-7

Stockholm, 2000-08-11

För Patent- och registreringsverket For the Patent- and Registration Office

Anita Södervall

Avgift Fee

# PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

# PCT REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty

For receiving Office use only

SCOOLOGEI9

International Application No.

2 8 -04- 2000

International Filing Date

The Swedish Patent Office PCT International Application

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference

	(if desired)(12 charac	cters maximum)
Box No. I TITLE OF INVENTION		
AGONIST/ANTAGONIST		
Box No. II APPLICANT		
Name and address: (Family name followed by given name; for a legal entity, full must include postal code and name of country. The country of the address indicated in the is, country) of residence if no State of residence is indicated below.)		This person is also inventor.
Respiratorius AB		Telephone No.
Sölvegatan 41		
SE-223 70 LUND		Facsimile No.
SWEDEN		Teleprinter No.
State (that is, country) of nationality: SWEDEN	State (that is, country) of res	sidence: SWEDEN
This person is applicant all designated for the purposes of: States all designated States the United States of A	except the United S	tates the States indicated in
Box No. III FURTHER APPLICANT(S) AND/OR /FURTH		and Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full of	* *	This person is:
must include postal code and name of country. The country of the address indicated in the is, country) of residence if no State of residence is indicated below.)		
Staffan Skogvall		applicant only
Flygelvägen 33		applicant and inventor
SE-224 72 LUND		inventor only (If this check-box is marked, do not fill in beiow.)
SWEDEN		and hear, do not you we determine
State (that is, country) of nationality: SWEDEN	State (that is, country) of res	sidence: SWEDEN
This person is applicant for the purposes of:  all designated states the United States of A		i I
Further applicants and/or (further) inventors are indicated on a		
Box No. IV AGENT OR COMMON REPRESENTATIVE; C		
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:	agent agent	common representative
Name and address: (Family name followed by given name: for a legal address must include postal code and name of count.		Telephone No. +46 40 98 51 00
ALIA DA MENTE A D		Facsimile No.
AWAPATENT AB Box 5117		+46 40 26 05 16
SE-200 71 MALMÖ		Teleprinter No.
SWEDEN		
Address for correspondence: Mark this check-box where no agent instead to indicate a special address to which correspondence should be		s been appointed and the space above is used



					Sheet No. 1	2		
	No. V	DESIGNATION						
The	followi	ing designations are he	reby made unde	er Rule 4.9(a) (mark the	applicable	check-boxe	es; at least one mi	ust be marked):
Reg	ional P	atent						······································
$\boxtimes$	AP	ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT						
$\boxtimes$	EA	Eurasian Patent: A	asian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldovia, RU Russian ration, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the					
$\boxtimes$	EP	Do opani, i i i iniai	iu, rik riance, i	United Kingdom, G	K (ireece 1	Filreland	IT imiv III I uv	rus, DE Germany, DK Denmark, embourg, MC Monaco, NL Netherlands, Convention and of the PCT
$\boxtimes$	OA	GN Guinea, GW G	Burkina Faso, B uinea-Bissau, N	J Benin, CF Central Af IL Mali, MR Mauritani	rican Repub a NF Niger	lic, CG Co	ongo, CI Côte d'I	voire, CM Cameroon, GA Gabon, Togo, and any other State which is a desired, specify on dotted line)
Natio	onal Pa	tent (if other kind of	protection on th	eatment desired, specify	, , , , , , , , , , , , , , , , , , , ,	. of protec	on or treatment	uestrea, specify on aottea line)
$\boxtimes$	AE	United Ara	b Emirates	eument aestrea, specify	-	ne): LR	f 15	
$\boxtimes$	AL	Albania			×	LK	Liberia	
$\boxtimes$	AM	Armenia					Lesotho	
$\boxtimes$	ΑT	Austria		+Utility Model	🛛		Lithuania	
$\boxtimes$	ΑU	Australia		- Curry Model		LU	Luxembourg	
$\boxtimes$	AZ	Azerbaijan			🏻	LV	Latvia	
$\boxtimes$	BA	•	Herzegovina		$\boxtimes$	MA	Morocco	
$\boxtimes$	BB	Barbados	rierzegovina			MD	Republic of N	1eldova
$\overline{\mathbb{X}}$	BG	Bulgaria			$\boxtimes$	MG	Madagascar	
	BR	Brazil			🛛	MK	The former Y	ugoslav Republic of Macedonia
	BY			***************************************				
$\boxtimes$	CA	Belarus				MN	Mongelia	····
		Canada			$\boxtimes$	MW	Malawi	
<u> </u>	CH at		and Liechtenste	ein	$\boxtimes$	MX	Mexico	
Z Z	CN	China		***************************************		NO	Norway	
$\boxtimes$	CR	Costa Rica			🛛	NZ	New Zealand	
$\mathbf{Z}$	CU	Cuba				PL	Poland	_
X X	CZ	Czech Republic	+Utility Mode			PT	Portugal	
길	DE	Germany	+Utility Model		🛛	RO	Romania	
<b>₹</b> ]	DK	Denmark	+Utility Model	***************************************	🛛	RU	Russian Feder	ation
⊴	DM	Dominica			$\boxtimes$	SD	Sudan	4844
3	EE	Estonia	+Utility Model		⊠	SE	Sweden	
3	ES	Spain	***************************************		$\boxtimes$	SG	Singapore	
⊴	FI	Finland	+Utility Mod	iel	$\boxtimes$	SI	Slovenia	
3	GB	United Kingdom			$\boxtimes$	SK	Slovakia	+Utility Model
3	GD	Grenada			$\boxtimes$	SL	Sierra Leone	
₫	GE	Georgia			$\overline{\boxtimes}$	TJ	Tajikistan	
₫	GH	Ghana			$\boxtimes$	TM	Turkmenistan	
3	GM	Gambia		······································	$\overline{\boxtimes}$	TR	Turkey	
]	HR	Croatia			$\boxtimes$	TT	Trinidad and T	ohago
]	HU	Hungary		***************************************	$\overline{\boxtimes}$	TZ	United Republi	
]	ID	Indonesia			⊠	UA	Ukraine	o or ranzama
1	IL	Israel			⊠	UG	Uganda	
]	IN	India	•=====================================		\( \overline{\overline	US	United States o	£ Aion
	IS	Iceland				-03	onned States 0	1 America
]	JP	Japan			$\boxtimes$	UZ	Uzbekistan	
1	KE	Kenya			⊠	VN		
	KG	Кугдуzstan				YU	Viet Nam	
	KP	Democratic People's	Republic of Ko	Tea	🛛		Yugoslavia	
		reopie 3	- John Or ICC	***************************************		ZA ZW	South Africa Zimbabve	
						2.11	Z.IIIIOUOVC	
j 1	KR .	Republic of Korea	+Utility Mo	odel				ating States which have become no
j 1	ΚZ	Republic of Korea Kazakhstan	+Utility Mo	odel	Check	-boxes res	served for designa	ating States which have become party heet:
} !		•	+Utility Mo	del	Check to the	-boxes res	erved for designations issuance of this s	tting States which have become party heet:

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

			Sheet No. 3			
	RITY CLAIM		Further priority	claims are indicated in the		
Filing date	Number			Where earlier applicatio		
of earlier application (day/month/year)	of earlier applica	tion	national application country	regional application:* regional Office	international application: receiving Office	
item(!) 28 April 1999 (28.04.99)	9901531-5		SWEDEN			
item(2) 26 May 1999 (26.05.99)	9901906-9		SWEDEN			
item(3) 15 June 1999 (15.06.99)	9902251-9		SWEDEN			
the earlier applicatio of the present internal * Where the earlier application is Convention for the Protection of	n(s) (only if the earlier ational application is th s an ARIPO application, ii	application ne receiving t is mandator nich that earl	was filed with the C Office) identified ab y to indicate in the Sup ier application was file	plemental Box at least one cou	rs  1-4  untry party to the Paris	
Choice of International Sea	rching Authority (IS	A) Reques	t to use results of ea	rlier search; reference to	that search	
(If two or more International Aut carry out the international search chosen; the two-letter code may be	horities are competent to h, indicate the Authority	(if an ear	rlier search has been co y):	arried out by or requested fron	n the International Searching	
thosen, the two-tener code may t	de useuj.	Date (da	y/month/year)	Number	Country (or regional Office)	
ISA / se			ontinuation No.3b enclose	đ		
Box No. VIII CHEC	K LIST; LANGUAG	E OF FIL	ING			
This international application cornumber of sheets:	-			companied by the item(s) ma	rked below:	
request : 5   1. \overline{\text{\tince{\text{\te}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tetx{\text{\text{\text{\text{\texi}\text{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi}\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\tet						
description (excluding sequence listing part) : 16 2. separate signed power of attorney						
claims : 5 3. Copy of general power of attorney; reference No., if any:						
abstract  i 1   4.   statement explaining lack of signature  drawings  i 1   5.   priority document(s) identified in Box No. VI as item(s):						
sequence listing part of description		==:	•	pplications into (language):		
7. se			7. separate indications concerning deposited microorganism or other biological material  B. nucleotide and/or amino acid sequence listning in computer readable form			
Total number of sheets	: 28	4 —		·		
Figure of the drawings which 1 Language			anguage of filing of the English			
should accompany the abstract: international application:  Box No. IX SIGNATURE OF APPLICANT OR AGENT						
Next to each signature, indicate to request).				erson signs (if such capacity is	s not obvious from reading the	
28 April 2000						
Den Hi						
Dan Henriksson						
Authorised Agent					<u></u>	
Date of actual receipt of the Purported international applie	cation:	For r	2 8 -04- 200	) ————	2. Drawings:	
3. Corrected date of actual receipt due to later but Timely received papers or drawings completing the purported international application:						
4. Date of timely receipt of the required Corrections under PCT Article 11(2):					not received:	
5. International Searching Authority (if two or more are competen				Fransmittal of search copy lelayed until search fee is paid.		
		For Inte	rnational Bureau use only			
Date of receipt of the record copy International Bureau:	by the					

Sheet No. 3a

2 8 -04- 2000

Supplement Box of Box No.	VI PRIORITY CLAIM	
Filing date of earlier application (day/month/year)	Number of earlier application	National application: country
Item (4) 15 June 1999 (15.06.99)	9902252-7	SWEDEN
Item (5) 28 April 1999 (28.04.99)	60/131 355	USA
Item (6) 27 May 1999 (27.05.99)	60/136 604	USA
Item (7) 17 June 1999 (17.06.99)	60/139 632	USA
tem (8) 17 June 1999 17.06.99)	60/139 633	USA

Sheet No. 3b

2 8 -04- 2000

Sheet 140. 30				
Continuation of Box No. VII INTERNATIONAL SEARCHING AUTHORITY				
Request to use results of earlier search; reference to that search:				
Date (day/month/year)	Number	Country (or regional Office)		
11.11.1999 11.11.1999 11.11.1999 15.06.1599 11.11.1999	SE99/00509 SE99/00641 SE99/00813 SE99/00814	SWEDEN SWEDEN SWEDEN SWEDEN		

ço. 58

### <u>MEDICAMENT</u>

### Field of the Invention

10

15

The present invention relates to a compound having agonist activity to the 5-HT<sub>4</sub> receptor for use as a medicament and to the use of said compound in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction of a human or animal body, as well as methods of treatment, wherein said compound is administered. The present invention also relates to a compound having antagonist activity to the 5-HT<sub>2a</sub> receptor for use as a medicament and to the use of said compound in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction of a human or animal body, as well as methods of treatment, wherein said compound is administered.

## Background of the Invention

Receptors of the 5-HT (serotonin; 3-(β-aminoethyl)5-hydroxyindole) type are well known and occur throughout
the body, e.g. in the airways, and their relevance has

20 mainly been reported in conjunction with treatment of
CNS, muscle and gastric disorders, as disclosed in e.g.
WO 98/18458 and US 5 246 935. In such treatments, compounds having agonist activity to a 5-HT1 type receptor
are often used. As examples of other 5-HT receptors, men25 tion can be made of receptors of the 5-HT2, 5-HT4, 5-HT5,
5-HT6 and 5-HT7 type. For a recent review of 5-HT receptors, see Gerhardt, C.C., van Heerikhuizen, H., Eur. J.
Pharm., 334, 1-23 (1997), which is incorporated herein by
reference.

Receptors of the 5-HT<sub>2</sub> type are also well known, e.g. through US 5 869 497, US 5 705 519 and US 5 246 935. The relevance of receptors of the 5-HT<sub>2</sub> type has been reported in conjunction with e.g. CNS and neuronal disorders. Such disorders are often treated with compounds having antagonist activity to a receptor of the 5-HT<sub>2a</sub>,

plasma extravasation or mucous secretion caused by e.g. asthma or any other disorder related thereto.

Accordingly, the present invention relates, in one of its aspects, to a compound having agonist activity to the  $5\text{-HT}_4$  receptor for use as a medicament. In another aspect it relates to use of said compound in the manufacture of a medicament for therapeutic or prophylactic treatment of a human or animal body, wherein the medicament is intended for treatment of disorders involving bronchocontraction, such as asthma.

10

15

20

25

30

35

In a preferred embodiment, the invention relates to the use of a compound having agonist activity to the  $5\text{-HT}_4$  receptor in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction, wherein said agonist has the capacity of reducing the pathological bronchocontraction by at least 30%, preferably at least 60%, and most preferably at least 90%.

The present invention also relates, in another aspect, to a compound having antagonist activity to the 5-HT<sub>2a</sub> receptor for use as a medicament. In another aspect it relates to use of said compound in the manufacture of a medicament for therapeutic or prophylactic treatment of a human or animal body, wherein the medicament is intended for treatment of disorders involving bronchocontraction, such as asthma.

In a preferred embodiment, the invention relates to the use of a compound having antagonist activity to a  $5\text{-HT}_{2a}$  receptor in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction, wherein said antagonist has the capacity of reducing the pathological bronchocontraction by at least 30%, preferably at least 60%, and most preferably at least 90%.

Said bronchocontraction may also occur in conjunction with such disorders as e.g. emphysema, chronic bronchitis, chronic obstructive pulmonary disease, depres-

The invention also relates to the use of one or more of the above-mentioned agonist compounds: SC 53116, i.e. 4-amino-5-chloro-N-[[1S, 7aS)-hexahydro-1H-pyrrolizin-1-yl]methyl]-2-methoxy-benzamide, having the structural formula:

ML 10302, i.e. 4-amino-5-chloro-2-methoxy-benzoic 10 acid-2-(1-piperidinyl)ethylester, having the structural formula:

RS 67506, i.e. N-[2-[4-[3-(4-amino-5-chloro-2-methoxyphenyl)-3-oxopropyl]-1-piperidinyl]ethyl]-methanesulfonamide monohydrochloride, having the structural formula:

$$Me = \begin{bmatrix} 0 \\ S \\ O \end{bmatrix}$$

$$NH - CH_2 - CH$$

has the capacity of reducing the bronchocontraction by at least 30%, preferably at least 60%, most preferably at least 90%.

According to the present invention several known antagonist compounds are, surprisingly, able to influence the  $5\text{-HT}_{2a}$  receptor, thereby generating a contraction reducing effect, i.e. a relaxation effect, and are selected from a group comprising ketanserin, AMI-193 or MDL 100 907, and derivatives and pharmaceutically acceptable salts thereof having the same or essentially the same contraction reducing effect.

Thus, the invention also relates to the use of one or more of the above-mentioned compounds, namely: ketanserin, i.e. 7-azido-3-[2-[4-(4-fluorobenzoyl)-1-piperidinyl]ethyl]-6-iodo-2,4(1H, 3H)-Quinazolinedione, having the structural formula:

AMI-193, i.e. 8-[3-(4-fluorophenoxy)propyl]-1-phenyl-1,3,8-triazaspiro[4,5]decan-4-one, having the structural formula:

5

10

15

20

25

and ALEPH-2, Amperozide, amesergide, Aryloxyalkylimi-dazolines, 1-aryl-4-propylpiperazines, BIMT 17, 1-3-[4-(3-chlorophenyl)-1-piperazinyl]propyl-6-fluoroindolin-2(1 H)-one, CGS 18102A, Clonidine, Cyproheptadine, Deramciclane, Desmethyl-WAY 100635, dotarizine, DV 7028, Elymo-

compound according to the present invention having agonist activity to the  $5\text{-HT}_4$  receptor. Preferably, said method relates to the treatment of asthma and disorders related thereto.

5

10

15

20

25

30

35

The present invention also relates to a method for treatment of disorders involving bronchocontraction, wherein said method comprises administering to a human or animal patient a therapeutically effective amount of a compound according to the present invention having antagonist activity to a 5-HT<sub>2a</sub> receptor. Preferably, said method relates to treatment of asthma and disorders related thereto.

Further, the present invention relates to a method for treatment of disorders involving bronchocontraction, wherein the above-mentioned combination of agonist(s) and antagonist(s) is administered.

The expression "has the capacity of reducing the pathological bronchocontraction by at least .... %" used throughout the present patent application means that the compound in question reduces the contraction in the airways caused (1) either by the underlying disease (asthma etc) or (2) by the administration of 5-HT or other substances with 5-HT2a-activating properties. The level of contraction in the airways can, for instance, be determined by spirometric measurements of the Forced Expiratory Volume (FEV1), compared to the normal value for healthy people. Alternatively, the expiratory capacity for a patient can be compared to his own FEV1 during periods of relatively little obstructive problems.

As appears from Fig. 1, the contractile component often manifests itself as a reduction or a complete elimination of the 5-HT induced relaxation, rather than in an increase of force from the control (pre-exposure) level. In the case of "specific" agonists to the 5-HT $_4$  receptor, this sustained relaxing effect is achieved because the contractile 5-HT $_2$ a receptor is not affected; only the relaxing 5-HT $_4$  receptor is activated. In the

Section and the second of the second

preparations. Note that 5-HT only gives a transient relaxation, while selective 5-HT<sub>4</sub> agonists give a strong sustained relaxing effect.

Detailed Description

5

10

30

35

The subject-matter of the present invention was inter alia deduced from animal experiments, where a specific behavior of the airway smooth muscle called "spontaneous tone" was examined. The spontaneous tone, which involves a spontaneous continuous contraction in the airway smooth muscle, was studied due to a suspicion that defective regulation of the spontaneous tone could be an important cause of the bronchoconstriction observed in asthmatic patients.

The examinations of the spontaneous tone were performed in accordance with the methods disclosed in the
thesis "Regulation of spontaneous tone in guinea pig trachea" by S.Skogvall, Department of Physiological Sciences, Lund University, 1999, which is incorporated
herein by reference. As evidenced by these examinations,
the airways normally display a highly regular type of oscillating tone if exposed to physiological conditions,
and the oscillating tone can be reversibly affected by
administration of various substances. When the epithelium
is removed, the preparations instead display a strong,
smooth type of tone.

In short, the animal experiments in said thesis showed that the spontaneous tone to a large degree is controlled by powerful regulating factors released from neuroepithelial endocrine (NEE) cells.

Later experiments, not included in the thesis, have revealed that one of the regulating factors is serotonin, also called 5-HT, which exerts agonist action on the receptors  $5\text{-HT}_1$ ,  $5\text{-HT}_4$ ,  $5\text{-HT}_5$ ,  $5\text{-HT}_6$  and  $5\text{-HT}_7$  as well as on  $5\text{-HT}_2$  receptors.

Additional experiments have shown that when 1  $\mu M$  serotonin was added to denuded airway smooth muscle preparations from the guinea-pig displaying a strong, smooth

fect after 5-10 min, which disappears gradually during the following 30-45 min (see Fig 1). The transient nature of the 5-HT relaxation is most likely caused by a simultaneous activation of the fast, relaxing 5-HT $_4$  receptor, and a slower activation of the contracting  $5HT_{2a}$  receptor. This is clear, because activation of the relaxing  $5-HT_4$  receptor by a substance that lacks  $5-HT_{2a}$  receptor activating properties (such as 5-carboxiamidotryptamine or SC 53116), results in a relaxation that is persistent and not transient (see Fig. 1).

10

15

20

It has previously been suggested that 5-HT or 5-HT analogues may be useful in the treatment of bronchoobstructive diseases. In SU 1 701 320 it is suggested that the 5-HT, i.e. serotonin, may be of use as an addition to standard beta2 receptor stimulation. However, from our experiments it seems clear that 5-HT is not effective or useful as the only treatment for e.g. asthmatic disorders, because of the transient relaxing effect by 5-HT (see Fig. 1). If instead, as we propose herein, a 5-HT analogue that lacks the 5-HT<sub>2a</sub> activating properties is given, the relaxing effect is persistent, and not transient.

In summary, it has now been discovered that agonist action on the 5-HT<sub>4</sub> receptor results in a relaxing effect, whereas agonist action on 5-HT<sub>2a</sub> receptors results in a contractile effect. In conclusion, the dual effect of serotonin is most likely a result of its agonist action on the relaxing 5-HT<sub>4</sub> receptor as well as on the contracting 5-HT<sub>2a</sub> receptor.

It was also deduced from these experiments that compounds having agonist activity to the  $5\text{-HT}_4$  receptor, while having only low or no agonist activity to a  $5\text{-HT}_{2a}$  receptor, therefore are useful as agents for treatment of bronchocontraction disorders.

35 Thus, the present invention relates to the use of compounds having agonist activity to the  $5\text{-HT}_4$  receptor in the manufacture of a medicament intended for treatment

## Further 5-HT4 agonist structures useful according to the present laventibu

. ઝઇ .લે

Arylcarbamate derivatives of 1-piperidineethanol 4-amino-5-chloro-2methoxybenzoic acid esters, e.g. ML10302, RS 57639 and SR59768

4-amino-5-chloro-2-methoxy-N-((2S,4S)-1-ethyl-2-hydroxymethyl-4-pyrrolidinyl)benzamide,e.g. TKS159

thiophene carboxamide derivatives 3 (a-j)
5. Azabicyclo(x.y.z) derivatives
2-piperazinylbenzoxazole derivatives
2-piperazinylbenzothiazole derivatives, e.g. VB20B7 clebopride
Sandoz compound 1b

particularily

#### CLAIMS

1. Compound having agonist activity to a  $5\text{-HT}_4$  receptor, and derivatives and pharmaceutically acceptable salts thereof having agonist activity to the  $5\text{-HT}_4$  receptor for use as a medicament for treatment of disorders involving bronchocontraction.

- Compound according to claim 1, wherein said compound has the capacity of reducing pathological broncho-contraction by at least 30%, preferably at least 60%, and most preferably at least 90%, and wherein said compound is chosen from the group comprising 5-carboxamido-tryptamine, BIMU 1, BIMU 8, BRL 24924, Cisapride, DAU 6236, 5-hydroxy-N,N-dimetyltryptamin, ML-1035, ML10302,
- 5-metoxytryptamin, Metoclopramide, Mosapride, 8-OH-DPAT (8-hydroxy-2-dipropylaminotetralin), Prucalopride, R 076186, R 093877, Renzapride, RS 17017, RS 56532, RS 57639, RS 67333, RS 67506, RS 67532, SB 204070, SB 205149, SC-53116, SC-49518, SK-951,
- 20 SDZ 216-454, SR59768, TKS159, VB20B7, YM-47813, YM-53389, YM-09151, Zacopride and Zelmac.
  - 3. Compound according to claim 2, wherein said bronchocontraction appears in asthma and disorders related thereto, emphysema, chronic bronchitis, chronic obstructive pulmonary disease, depression, approaching or buling
- 25 tive pulmonary disease, depression, anorectic or bulimic eating disorders, anxiety or various psychotic conditions including schizophrenia.
- 4. Use of one or more compounds according to claims 1 and 2 having agonist activity to a 5-HT<sub>4</sub> receptor, and derivatives and pharmaceutically acceptable salts thereof having agonist activity to the 5-HT<sub>4</sub> receptor, in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction, optionally together with a serotonin uptake inhibitor.

- 5. Use according to claim 4, wherein said one or more compounds has/have the capacity of reducing the pathological bronchocontraction by at least 30%, preferably at least 60%, and most preferably at least 90%, and wherein said compound(s) is/are chosen from the group comprising 5-carboxamidotryptamine, BIMU 1, BIMU 8, BRL 24924, Cisapride, DAU 6236, 5-hydroxy-N,N-dimetyl-tryptamin, ML-1035, ML10302, 5-metoxytryptamin, Metoclopramide, Mosapride,
- 8-OH-DPAT (8-hydroxy-2-dipropylaminotetralin),
  Prucalopride, R 076186, R 093877, Renzapride, RS 17017,
  RS 56532, RS 57639, RS 67333, RS 67506, RS 67532,
  SB 204070, SB 205149, SC-53116, SC-49518, SK-951,
  SDZ 216-454, SR59768, TKS159, VB20B7, YM-47813, YM-53389,
  YM-09151, Zacopride and Zelmac.
  - 6. Use according to claims 4 and 5, wherein said disorder having pathological bronchocontraction is asthma and disorders related thereto, emphysema, chronic bronchitis, chronic obstructive pulmonary disease, depression, anorectic or bulimic eating disorders, anxiety or various psychotic conditions including schizophrenia.

25

- 7. A method for treatment of disorders involving bronchocontraction, wherein said method comprises administering to a human or animal patient a therapeutically effective amount of a compound according to claim 1.
- 8. Compound having antagonist activity to a  $5\text{-HT}_{2a}$  receptor; and derivatives and pharmaceutically acceptable salts thereof having antagonist activity to the  $5\text{-HT}_{2a}$  receptor for use as a medicament for treatment of disorders involving bronchocontraction.
- 9. Compound according to claim 8, wherein said compound has the capacity of reducing pathological bronchocontraction by at least 30%, preferably at least 60%, and most preferably at least 90%, and wherein said compound is chosen from the group comprising AMI-193 and MDL 100,907,

and ALEPH-2, Amperozide, amesergide, Aryloxyalkylimidazolines, 1-aryl-4-propylpiperazines, BIMT 17, 1-3-[4-(3-chlorophenyl)-1-piperazinyl]propyl-6-fluoroindolin-2(1 H)-one, CGS 18102A, Clonidine, Cyproheptadine, Deramciclane, Desmethyl-WAY 100635, dotarizine, DV 7028, Elymoclavine, Fananserin, 8-[3-(4-fluorobenzoyl)propyl]-1methyl-1,3,8-triazaspiro[4,5]de can-4-one, FG5893 hydrochloride, FG5974, FG5983, Hexahydrocarbazoles, (3H)WAY 100635, ICI169,369, 8-[3-(4-iodobenzoyl)propyl]-1-methyl-10 1,3,8-triazaspiro[4,5]deca n-4-one, Ketanserin, LEK-8804, LSD, LU 111995, (S,S) -LY-53,857, (R,S)-LY-53,857, (S,R)-LY-53,857, (R,R)-LY-53,857, LY-53,857 free base, LY 215840, MDL-11,939, MDL 28133A, MDL 100,151, MDL 100,907, mesulergine, Metergoline, 1-3-[4-(2-15 methoxyphenyl)-1-piperazinyl]propyl indolin-2(1H)-one, methysergide, Mianserin, NE-100, Nefazodone, N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, NRA0045, Olanzapine, Ondansetron, 1-(2-pyrimidinyl)piperazine derivatives, Pizotifen, raclopride, Roxindole, Risperidone, 20 Ritanserin, RP62203, sarpogrelate and its active metabolite (M-1), serotonin reuptake inhibitors like fluoxetine, YM 992, medifoxamine, cericlamine, imipramine, iprindole, BIMT 17, citalopram, paroxetine, sertraline, fluvoxamine spiro indoles N-substituted with a 3-(dimethylamino)-25 propyl chain Spiperone, SR 46349B, WAY 100635, WY-50,324,.

- 10. Compound according to claim 9, wherein said bronchocontraction appears in asthma and disorders re30 lated thereto, emphysema, chronic bronchitis, chronic obstructive pulmonary disease, depression, anorectic or bulimic eating disorders, anxiety or various psychotic conditions including schizophrenia.
- 11. Use of one or more of the compounds according to claims 8 and 9 and including ketanserin having antagonist activity to a  $5\text{-HT}_{2a}$  receptor, and derivatives and pharmaceutically acceptable salts thereof having antagonist ac-

tivity to the  $5-HT_{2a}$  receptor, in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction, optionally together with a serotonin uptake inhibitor.

- 12. Use according to claim 11, wherein said one or more compounds has the capacity of reducing the pathological bronchocontraction by at least 30%, preferably at least 60%, and most preferably at least 90%, and wherein said compound(s) is/are chosen from the group comprising
- 10 ketanserin, AMI-193, MDL 100,907
  and ALEPH-2, Amperozide, amesergide, Aryloxyalkylimidazolines, 1-aryl-4-propylpiperazines, BIMT 17, 1-3-[4(3-chlorophenyl)-1-piperazinyl]propyl-6-fluoroindolin-2(1
  H)-one, CGS 18102A, Clonidine, Cyproheptadine, Deramci-
- clane, Desmethyl-WAY 100635, dotarizine, DV 7028, Elymoclavine, Fananserin, 8-[3-(4-fluorobenzoyl)propyl]-1-methyl-1,3,8-triazaspiro[4,5]de can-4-one, FG5893 hydrochloride, FG5974, FG5983, Hexahydrocarbazoles, (3H)WAY 100635, ICI169,369, 8-[3-(4-iodobenzoyl)propyl]-1-methyl-
- 20 1,3,8-triazaspiro[4,5]deca n-4-one, Ketanserin, LEK-8804,
   LSD, LU 111995, (S,S) -LY-53,857, (R,S)-LY-53,857,
   (S,R)-LY-53,857, (R,R)-LY-53,857, LY-53,857 free base,
   LY 215840, MDL-11,939, MDL 28133A, MDL 100,151,
   MDL 100,907, mesulergine, Metergoline, 1-3-[4-(2-
- methoxyphenyl)-1-piperazinyl]propyl indolin-2(1H)-one,
  methysergide, Mianserin, NE-100, Nefazodone,
  N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, NRA0045,
  Olanzapine, Ondansetron, 1-(2-pyrimidinyl)piperazine derivatives, Pizotifen, raclopride, Roxindole, Risperidone,
- Ritanserin, RP62203,
  sarpogrelate and its active metabolite (M-1),
  serotonin reuptake inhibitors like fluoxetine, YM 992,
  medifoxamine, cericlamine, imipramine, iprindole, BIMT
  17, citalopram, paroxetine, sertraline, fluvoxamine
- spiro indoles N-substituted with a 3-(dimethylamino)-propyl chain
  Spiperone, SR 46349B, WAY 100635, WY-50,324,.

- 13. Use of one or more compounds according to claims 11 and 12 in combination, either simultaneously or sequentially, with a compound having agonist activity to the  $5\text{-HT}_4$  receptor in the manufacture of a medicament for therapeutic or prophylactic treatment of disorders involving bronchocontraction, optionally together with a serotonin uptake inhibitor.
- 14. Use according to claim 13, wherein said compound having agonist activity to the  $5\text{-HT}_4$  receptor is serotonin and derivatives thereof or a compound according to claims 1 and 2.


15

- 15. Use according to claims 11-14, wherein said disorder having pathological bronchocontraction is asthma and disorders related thereto, emphysema, chronic bronchitis, chronic obstructive pulmonary disease, depression, anorectic or bulimic eating disorders, anxiety or various psychotic conditions including schizophrenia.
- 16. A method for treatment of disorders involving bronchocontraction, wherein said method comprises administering to a human or animal patient a therapeutically effective amount of a compound according to claims 11-14.
- 17. Composition comprising a combination of the compounds defined in claims 13 and 14 for use as a medica25 ment for treatment of disorders involving bronchocontraction.

#### ABSTRACT

The present invention relates to a compound having agonist activity to the 5-HT4 receptor for use as a medicament and to the use of said compounds in the manufacture of a medicament for use in therapeutic or prophylactic treatment of disorders involving bronchocontraction of a human or animal body, as well as methods of 10 treatment, wherein said compounds are administered. The present invention also relates to a compound having antagonist activity to the  $5-HT_{2a}$  receptor for use as a medicament and to the use of said compound in the manufacture of a medicament for use in therapeutic or prop-15 hylactic treatment of disorders involving bronchocontraction of a human or animal body, as well as methods of treatment, wherein said compounds are administered.





} b `